

# Drug Poisonings & Overdose Deaths

1H 2021 Update  
From CDC Provisional Data  
U.S. & State Summaries



# U.S. Drug-induced Death


All Ages, 2019-2021 (\*Provisional reported), Fentanyl = MCD - ICD-10 T40.4, synthetic opioids excl methadone

- No fentanyl-involved drug death
- Fentanyl-involved drug death

**1H21\***  
51K, 33K Fentanyl (65%)  
vs PY: +12%/+21% Fentanyl

## 12 Months Ending 1H21 Predicted\*

101K/65K Fentanyl (64%)  
vs PY: +20%/+34% Fentanyl



\*Provisional reported derived from: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death Provisional Mortality Statistics 2018- through last month on CDC WONDER Online Database, released in 2022. Compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <https://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 13, 2022 10:22:15 AM. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40-X44 (unintentional), X60-X64 (suicide), X85 (homicide), and Y10-Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. Drug categories presented include: heroin (T40.1); natural opioid analgesics, including morphine and codeine, and semisynthetic opioids, including drugs such as oxycodone, hydrocodone, hydromorphone, and oxycodone (T40.2); methadone, a synthetic opioid (T40.3); synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol (T40.4); cocaine (T40.5); Benzodiazepines (T42.4), and psychostimulants with abuse potential, which includes methamphetamine (T43.6). Rates are per 100k, age adjusted for all ages. "Rx Opioids" uses T40.2+T40.3, "Fentanyl Involvement" uses T40.4 and "Fentanyl % of all drug deaths" is (MCD T40.4/Drug overdose deaths). "fentanyl-only" uses (Any T40.4) minus (Any T40.4 AND any involvement of T40.1 AND OR T40.2 AND OR T40.3, AND OR T40.5, AND OR T42.4 AND OR T43.6). Multiple drugs may be involved in one drug death. State rankings are based on death rates and growth in rates for states where data exist. \*Predicted Provisional Statistics from Vital Statistics Rapid Release Provisional Drug Overdose Death Counts <https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm> on Jan 13, 2022 10:22:15 AM




# Youth Deaths are Growing Fastest and Involve Fentanyl the Most

1H 2021 UPDATE

## U.S. Drug-induced Death Growth & Fentanyl-involvement

12 months ending June 2021 (Provisional reported)


Annual growth in all drug-induced death



© 2022 Song for Charlie


CDC Provisional Data through June 2021, accessed 1.2022	Death Counts												Death Rates per 100K					
	7.2019-6.2020						7.2020-6.2021						2020					
	All Ages		15-24 years		10-19 Years		All Ages		15-24 years		10-19 Years		All Ages		15-24 years		10-19 Years	
	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl
United States	82,317	47,418	6,008	4,289	1,278	833	97,305	62,210	7,541	5,890	1,776	1,362	28.3	17.8	16.7	12.7	3.9	2.8
Alabama (01)	942	344	69	26	11		1,146	607	82	50	15		22.3	9.8	12.8	6.3		
Alaska (02)	137	49					199	106	29	20			22.0	9.7	23.1			
Arizona (04)	2,284	1,206	339	280	101	83	2,671	1,610	324	278	109	101	35.8	21.3	37.6	33.1	12.5	11.1
Arkansas (05)	473	154	37	22			588	253	44	23	15		19.1	7.1	10.5	5.8		
California (06)	7,245	2,707	768	561	248	200	9,907	5,078	1,060	865	298	264	21.8	10.1	19.4	15.3	6.2	5.2
Colorado (08)	1,297	447	133	81	38	22	1,708	752	198	139	72	55	24.9	10.1	22.6	15.1	7.8	6.0
Connecticut (09)	1,334	1,095	72	64	14		1,422	1,168	82	70	12	10	39.1	33.1	17.3	16.5		
Delaware (10)	484	401	28	26			458	374	18	17			47.3	39.3	18.6	16.9		
District of Columbia (11)	408	294	13	11			405	304	11	11			58.1	42.3				
Florida (12)	6,522	3,975	355	256	61	39	7,383	5,051	402	313	66	42	35.0	23.6	15.9	11.8	2.9	1.9
Georgia (13)	1,650	629	115	69	25	15	2,194	1,201	177	128	36	26	18.0	8.6	9.8	6.7	1.9	
Hawaii (15)	261	25					256	41					18.3	2.8				
Idaho (16)	257	43	21	10			320	102	26	18	10		15.9	3.4				
Illinois (17)	3,403	2,250	214	149	45	24	3,443	2,435	260	195	56	37	28.1	19.7	15.9	11.7	3.5	2.0
Indiana (18)	2,046	1,323	158	112	20	10	2,522	1,789	225	191	36	25	36.7	26.4	21.4	16.9	2.9	
Iowa (19)	423	149	30	23			438	187	41	27	12		14.3	5.8	8.2	5.9		
Kansas (20)	408	107	34	21	11		580	253	72	53	27	24	17.4	6.0	15.3	10.2	6.5	
Kentucky (21)	1,715	1,149	94	69	13		2,276	1,636	157	131	30	23	49.2	36.0	23.0	18.2	3.5	
Louisiana (22)	1,588	519	61	31	15		2,224	971	116	68	21	14	42.7	16.2	15.3	8.1		
Maine (23)	453	338	30	25			537	424	29	25			39.7	30.0	21.8	17.8		
Maryland (24)	2,487	2,030	126	104	21	12	2,877	2,424	158	132	28	24	44.6	37.5	20.1	17.0	3.6	
Massachusetts (25)	2,299	1,966	123	106	17	11	2,386	2,006	122	110	21	19	33.9	28.9	12.1	10.9		
Michigan (26)	2,660	1,755	156	104	29	18	2,797	2,033	176	133	31	19	28.6	20.3	13.7	10.0	3.1	2.0
Minnesota (27)	912	420	117	86	28	18	1,187	717	155	120	48	38	19.0	10.4	18.2	14.1	4.1	3.1
Mississippi (28)	490	222	33	22			701	413	52	43	13	11	21.1	11.5	10.3	7.8		
Missouri (29)	1,850	1,130	157	109	27	13	2,003	1,324	184	146	45	35	32.1	21.1	21.2	15.3	5.0	3.1
Montana (30)	154	15	10				179	54	12				15.6	3.2				
Nebraska (31)	194	60	22				202	71	25	19			11.3	3.8	9.7			
Nevada (32)	711	182	77	55	23	17	922	358	111	83	29	21	26.0	9.8	28.7	22.7	8.0	6.5
New Hampshire (33)	419	344	31	29			376	311	21	15			30.3	25.4	13.5	11.8		
New Jersey (34)	3,011	2,466	158	138	22	13	2,856	2,310	155	135	34	25	32.1	26.7	14.1	12.4	2.5	
New Mexico (35)	672	232	44	29	13		881	432	81	61	31	23	39.0	16.7	20.0	14.3	7.6	
New York (36)	4,361	3,090	275	220	42	26	5,165	3,946	311	259	47	38	25.4	19.2	13.5	11.0	2.0	1.5
North Carolina (37)	2,695	1,786	237	196	30	21	3,438	2,607	264	226	44	37	30.9	22.9	19.7	17.0	2.8	2.2
North Dakota (38)	102	17	16				113	48	25	16			15.6	4.2	25.3			
Ohio (39)	4,812	3,665	305	239	48	31	5,313	4,146	315	265	49	38	47.2	37.7	23.3	19.1	3.8	3.0
Oklahoma (40)	719	119	54	16	21		814	220	56	39	17	13	19.4	4.0	9.6	3.7	3.7	
Oregon (41)	695	153	55	28	20	12	967	377	103	75	21	18	18.7	6.0	14.9	9.4	4.6	
Pennsylvania (42)	4,881	3,225	270	190	40	22	5,312	3,696	319	251	56	37	42.4	29.9	18.2	13.6	3.3	2.1
Rhode Island (44)	328	237	18	16			418	311	30	24			38.2	28.3	16.7	15.3		
South Carolina (45)	1,479	879	106	83	16	11	1,881	1,308	146	113	33	26	34.9	23.6	20.5	16.7	3.5	
South Dakota (46)	98	36	12				78	24					10.3	4.5				
Tennessee (47)	2,599	1,670	196	156	26	20	3,421	2,424	237	193	57	48	45.6	32.3	25.4	21.0	5.3	4.3
Texas (48)	3,626	711	315	133	73	36	4,719	1,517	512	327	164	108	14.1	3.6	10.2	5.7	2.9	1.7
Utah (49)	580	119	40	11	11		667	172	56	21	14		20.5	5.1	8.9			
Vermont (50)	160	116	10				216	170	10				32.9	24.3				
Virginia (51)	1,856	1,343	158	127	28	22	1,708	1,274	148	130	29	25	26.6	20.2	16.8	14.4	3.1	2.5
Washington (53)	1,521	505	163	116	60	44	1,946	872	200	158	62	49	22.0	8.9	18.8	14.0	6.6	4.9
West Virginia (54)	1,111	794	36	30			1,369	1,096	75	62	13	10	81.4	65.1	21.8	18.5		
Wisconsin (55)	1,417	901	96	76	23	17	1,606	1,176	103	81	22	18	27.7	20.0	12.9	11.0	3.5	3.0
Wyoming (56)	88	26					110	31	10				17.4	4.8				

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD–10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.



1H 2021 UPDATE	Growth Rates						Fentanyl Share			Growth Rank						Fentanyl Share Rank			Death Rate per 100K Rank					
	12 months ending 6.2021 v 6.2020						7.2020-6.2021			7.2020-6.2021						7.2020-6.2021			7.2020-6.2021					
	All Ages		15-24 years		10-19 Years		All Ages	15-24 years	10-19 years	All Ages		15-24 years		10-19 Years		All Ages	15-24 years	10-19 years	All Ages		15-24 years		10-19 Years	
	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	Fentanyl %	Fentanyl %	Fentanyl %	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl	Rank	Rank	Rank	All Drugs	Fentanyl	All Drugs	Fentanyl	All Drugs	Fentanyl
Alabama (01)	+18%	+31%	+26%	+37%	+39%	+64%	64%	78%	77%															
Alaska (02)	+22%	+76%	+19%	+92%	+36%		53%	61%		#25	#15	#27	#9	#16		#31	#43		#31	#33	#35	#36		
Arizona (04)	+45%	+116%					53%	69%		#1	#6					#30	#39		#32	#35	#6			
Arkansas (05)	+17%	+33%	-4%	-1%	+8%	+22%	60%	86%	93%	#28	#29	#43	#40	#25	#20	#27	#7	#1	#15	#20	#1	#1	#1	#1
California (06)	+24%	+64%	+19%	+5%			43%	52%		#22	#19	#26	#35			#38	#45		#38	#38	#37	#38		
Colorado (08)	+37%	+88%	+38%	+54%	+20%	+32%	51%	82%	89%	#6	#10	#16	#16	#22	#17	#32	#17	#4	#34	#31	#17	#14	#7	#4
Connecticut (09)	+32%	+68%	+49%	+72%	+89%	+150%	44%	70%	76%	#10	#18	#12	#14	#7	#3	#35	#36	#22	#30	#31	#8	#17	#3	#3
Delaware (10)	+7%	+7%	+14%	+9%	-14%		82%	85%	83%	#39	#44	#30	#33	#32		#4	#9	#11	#11	#7	#22	#13		
District of Columbia (11)	-5%	-7%	-36%	-35%			82%	94%		#48	#49	#47	#42			#5	#2		#4	#3	#19	#10		
Florida (12)	-1%	+3%	-15%	+0%			75%	100%		#45	#45	#45	#38			#13	#1		#2	#2				
Georgia (13)	+13%	+27%	+13%	+22%	+8%	+8%	68%	78%	64%	#34	#33	#32	#28	#24	#23	#24	#24	#32	#16	#17	#25	#24	#22	#16
Hawaii (15)	+33%	+91%	+54%	+86%	+44%	+73%	55%	72%	72%	#8	#9	#11	#12	#13	#11	#29	#34	#26	#42	#37	#40	#35	#28	
Idaho (16)	-2%	+64%					16%			#46	#20					#51			#41	#51				
Illinois (17)	+25%	+137%	+24%	+80%			32%	69%		#21	#4	#21	#13			#45	#38		#45	#49				
Indiana (18)	+1%	+8%	+21%	+31%	+24%	+54%	71%	75%	66%	#21	#43	#23	#24	#20	#14	#21	#30	#29	#25	#25	#25	#26	#15	#14
Iowa (19)	+23%	+35%	+42%	+71%	+80%	+150%	71%	85%	69%	#23	#28	#14	#15	#8	#3	#19	#10	#27	#14	#14	#11	#10	#22	
Kansas (20)	+4%	+26%	+37%	+17%			43%	66%		#43	#34	#18	#30			#39	#40		#48	#41	#44	#37		
Kentucky (21)	+42%	+136%	+112%	+152%	+145%		44%	74%	89%	#3	#5	#1	#2	#1		#37	#32	#3	#43	#39	#27	#30	#6	
Louisiana (22)	+33%	+42%	+67%	+90%	+131%		72%	83%	77%	#9	#26	#6	#11	#3		#18	#13	#20	#3	#6	#7	#6	#15	
Maine (23)	+40%	+87%	+90%	+119%	+40%		44%	59%	67%	#4	#11	#3	#5	#14		#36	#44	#28	#8	#28	#27	#33		
Maryland (24)	+19%	+25%	-3%	+0%			79%	86%		#26	#35	#42	#38			#8	#6		#10	#9	#9	#7		
Massachusetts (25)	+16%	+19%	+25%	+27%	+33%	+100%	84%	84%	86%	#30	#36	#20	#26	#17	#8	#1	#12	#6	#7	#5	#14	#8	#14	
Michigan (26)	+4%	+2%	-1%	+4%	+24%	+73%	84%	90%	90%	#42	#46	#40	#36	#21	#12	#2	#3	#2	#18	#11	#36	#29		
Minnesota (27)	+5%	+16%	+13%	+28%	+7%	+6%	73%	76%	61%	#40	#40	#34	#25	#26	#25	#17	#28	#33	#24	#22	#31	#31	#20	#14
Mississippi (28)	+30%	+71%	+32%	+40%	+71%	+111%	60%	77%	79%	#13	#17	#19	#19	#9	#7	#26	#25	#14	#39	#30	#20	#20	#11	#7
Missouri (29)	+43%	+86%	+58%	+95%			59%	83%	85%	#2	#13	#9	#8			#28	#15	#8	#35	#29	#38	#34		
Montana (30)	+8%	+17%	+17%	+34%	+67%	+169%	66%	79%	78%	#38	#39	#29	#22	#10	#2	#25	#20	#17	#20	#21	#12	#14	#9	#7
Nebraska (31)	+16%	+260%	+20%				30%	0%		#29	#1	#25				#47	#47		#46	#50				
Nevada (32)	+4%	+18%	+14%				35%	76%		#41	#38	#31				#43	#27		#50	#47	#41			
New Hampshire (33)	+30%	+97%	+44%	+51%	+26%	+24%	39%	75%	72%	#15	#8	#13	#17	#19	#18	#42	#31	#25	#28	#33	#2	#2	#2	#2
New Jersey (34)	-10%	-10%	-32%	-48%			83%	71%		#50	#50	#46	#43			#3	#35		#23	#15	#32	#24		
New Mexico (35)	-5%	-6%	-2%	-2%	+55%	+92%	81%	87%	74%	#47	#48	#41	#41	#11	#9	#6	#5	#24	#20	#13	#30	#23	#26	
New York (36)	+31%	+86%	+84%	+110%	+138%		49%	75%	74%	#12	#12	#5	#6	#2		#33	#29	#23	#12	#27	#15	#19	#4	
North Carolina (37)	+18%	+28%	+13%	+18%	+12%	+46%	76%	83%	81%	#27	#32	#33	#29	#23	#16	#11	#14	#13	#29	#26	#32	#27	#27	#18
North Dakota (38)	+28%	+46%	+11%	+15%	+47%	+76%	76%	86%	84%	#17	#23	#35	#31	#12	#10	#12	#8	#10	#22	#19	#16	#8	#25	#12
Ohio (39)	+11%	+182%	+56%				42%	64%		#35	#2	#10				#40	#41		#46	#45	#4			
Oklahoma (40)	+10%	+13%	+3%	+11%	+2%	+23%	78%	84%	78%	#10	#36	#42	#38	#32	#30	#19	#11	#18	#5	#4	#5	#4	#12	#9
Oregon (41)	+13%	+85%	+4%	+144%	-19%		27%	70%	76%	#33	#14	#37	#4	#33		#49	#37	#21	#37	#46	#42	#40	#13	
Pennsylvania (42)	+39%	+146%	+87%	+168%	+5%	+50%	39%	73%	86%	#5	#3	#4	#1	#27	#15	#41	#33	#6	#40	#39	#29	#32	#10	
Rhode Island (44)	+9%	+15%	+18%	+32%	+40%	+68%	70%	79%	66%	#37	#41	#28	#23	#14	#13	#22	#22	#29	#9	#10	#20	#22	#19	#13
South Carolina (45)	+27%	+31%	+67%	+50%			74%	80%		#18	#30	#7	#18			#15	#19		#13	#12	#24	#14		
South Dakota (46)	+27%	+49%	+38%	+36%	+106%	+136%	70%	77%	79%	#19	#21	#17	#21	#6	#6	#23	#26	#16	#17	#17	#13	#12	#15	
Tennessee (47)	-20%	-33%	-100%				31%			#51	#51	#48				#46			#51	#44				
Texas (48)	+32%	+45%	+21%	+24%	+119%	+140%	71%	81%	84%	#11	#24	#24	#27	#5	#5	#20	#18	#9	#6	#8	#3	#3	#8	#6
Utah (49)	+30%	+113%	+63%	+146%	+125%	+200%	32%	64%	66%	#14	#7	#8	#3	#4	#1	#44	#42	#31	#49	#48	#39	#39	#22	#17
Vermont (50)	+15%	+45%	+40%	+91%	+27%		26%	38%		#31	#25	#15	#10	#18		#50	#46		#36	#42	#43			
Virginia (51)	+35%	+47%	+0%				79%	0%		#7	#22	#39				#9	#47		#19	#16				
Washington (53)	-8%	-5%	-6%	+2%	+4%	+14%	75%	88%	86%	#49	#47	#44	#37	#28	#21	#14	#4	#5	#27	#23	#23	#18	#20	#11
West Virginia (54)	+28%	+73%	+23%	+36%	+3%	+11%	45%	79%	79%	#16	#16	#22	#20	#29	#22	#34	#21	#15	#32	#36	#18	#21	#5	#5
Wisconsin (55)	+23%	+38%	+108%	+107%			80%	83%	77%	#24	#27	#2	#7			#7	#16	#19	#1	#1	#9	#5		
Wyoming (56)	+13%	+31%	+7%	+7%	-4%	+6%	73%	79%	82%	#32	#31	#36	#34	#31	#24	#16	#23	#12	#26	#24	#34	#27	#15	#9
	+25%	+19%					28%	0%		#20	#37					#48	#47		#43	#43				

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.



# State Summaries through June 2021


CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Alabama	All Drugs	1,146	+22%	#25	22.3	#31	82	+19%	#27	12.8	#35	15	+36%	#16			53%	61%	
	Fentanyl-involved	607	+76%	#15	9.8	#33	50	+92%	#9	6.3	#36								

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Alaska	All Drugs	199	+45%	#1	22.0	#32	29			23.1	#6						53%	69%	
	Fentanyl-involved	106	+116%	#6	9.7	#35	20												

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Arizona	All Drugs	2,671	+17%	#28	35.8	#15	324	-4%	#43	37.6	#1	109	+8%	#25	12.5	#1	60%	86%	93%
	Fentanyl-involved	1,610	+33%	#29	21.3	#20	278	-1%	#40	33.1	#1	101	+22%	#20	11.1	#1			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Arkansas	All Drugs	588	+24%	#22	19.1	#38	44	+19%	#26	10.5	#37	15					43%	52%	
	Fentanyl-involved	253	+64%	#19	7.1	#38	23	+5%	#35	5.8	#38								

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40-X44 (unintentional), X60-X64 (suicide), X85 (homicide), and Y10-Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. "Fentanyl Involvement" uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. "Fentanyl share of all drug deaths" is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
California	All Drugs	9,907	+37%	#6	21.8	#34	1,060	+38%	#16	19.4	#17	298	+20%	#22	6.2	#7	51%	82%	89%
	Fentanyl-involved	5,078	+88%	#10	10.1	#31	865	+54%	#16	15.3	#14	264	+32%	#17	5.2	#4			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Colorado	All Drugs	1,708	+32%	#10	24.9	#30	198	+49%	#12	22.6	#8	72	+89%	#7	7.8	#3	44%	70%	76%
	Fentanyl-involved	752	+68%	#18	10.1	#31	139	+72%	#14	15.1	#17	55	+150%	#3	6.0	#3			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Connecticut	All Drugs	1,422	+7%	#39	39.1	#11	82	+14%	#30	17.3	#22	12	-14%	#32			82%	85%	83%
	Fentanyl-involved	1,168	+7%	#44	33.1	#7	70	+9%	#33	16.5	#13	10							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Delaware	All Drugs	458	-5%	#48	47.3	#4	18	-36%	#47	18.6	#19						82%	94%	
	Fentanyl-involved	374	-7%	#49	39.3	#3	17	-35%	#42	16.9	#10								

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.





CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
District of Columbia	All Drugs	405	-1%	#45	58.1	#2	11	-15%	#45								75%	100%	
	Fentanyl-involved	304	+3%	#45	42.3	#2	11	+0%	#38										

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Florida	All Drugs	7,383	+13%	#34	35.0	#16	402	+13%	#32	15.9	#25	66	+8%	#24	2.9	#22	68%	78%	64%
	Fentanyl-involved	5,051	+27%	#33	23.6	#17	313	+22%	#28	11.8	#24	42	+8%	#23	1.9	#16			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Georgia	All Drugs	2,194	+33%	#8	18.0	#42	177	+54%	#11	9.8	#40	36	+44%	#13	1.9	#28	55%	72%	72%
	Fentanyl-involved	1,201	+91%	#9	8.6	#37	128	+86%	#12	6.7	#35	26	+73%	#11					

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Hawaii	All Drugs	256	-2%	#46	18.3	#41											16%		
	Fentanyl-involved	41	+64%	#20	2.8	#51													




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Idaho	All Drugs	320	+25%	#21	15.9	#45	26	+24%	#21			10					32%	69%	
	Fentanyl-involved	102	+137%	#4	3.4	#49	18	+80%	#13										

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Illinois	All Drugs	3,443	+1%	#44	28.1	#25	260	+21%	#23	15.9	#25	56	+24%	#20	3.5	#15	71%	75%	66%
	Fentanyl-involved	2,435	+8%	#43	19.7	#25	195	+31%	#24	11.7	#26	37	+54%	#14	2.0	#14			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Indiana	All Drugs	2,522	+23%	#23	36.7	#14	225	+42%	#14	21.4	#11	36	+80%	#8	2.9	#22	71%	85%	69%
	Fentanyl-involved	1,789	+35%	#28	26.4	#14	191	+71%	#15	16.9	#10	25	+150%	#3					

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Iowa	All Drugs	438	+4%	#43	14.3	#48	41	+37%	#18	8.2	#44	12					43%	66%	
	Fentanyl-involved	187	+26%	#34	5.8	#41	27	+17%	#30	5.9	#37								

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD–10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Kansas	All Drugs	580	+42%	#3	17.4	#43	72	+112%	#1	15.3	#27	27	+145%	#1	6.5	#6	44%	74%	89%
	Fentanyl-involved	253	+136%	#5	6.0	#39	53	+152%	#2	10.2	#30	24							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Kentucky	All Drugs	2,276	+33%	#9	49.2	#3	157	+67%	#6	23.0	#7	30	+131%	#3	3.5	#15	72%	83%	77%
	Fentanyl-involved	1,636	+42%	#26	36.0	#6	131	+90%	#11	18.2	#6	23							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Louisiana	All Drugs	2,224	+40%	#4	42.7	#8	116	+90%	#3	15.3	#27	21	+40%	#14			44%	59%	67%
	Fentanyl-involved	971	+87%	#11	16.2	#28	68	+119%	#5	8.1	#33	14							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths				
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19		
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%		
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8						
Maine	All Drugs	537	+19%	#26	39.7	#10	29	-3%	#42	21.8	#9					79%86%					
	Fentanyl-involved	424	+25%	#35	30.0	#9	25	+0%	#38	17.8	#7										

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD–10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Maryland	All Drugs	2,877	+16%	#30	44.6	#7	158	+25%	#20	20.1	#14	28	+33%	#17	3.6	#14	84%	84%	86%
	Fentanyl-involved	2,424	+19%	#36	37.5	#5	132	+27%	#26	17.0	#8	24	+100%	#8					

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Massachusetts	All Drugs	2,386	+4%	#42	33.9	#18	122	-1%	#40	12.1	#36	21	+24%	#21			84%	90%	90%
	Fentanyl-involved	2,006	+2%	#46	28.9	#11	110	+4%	#36	10.9	#29	19	+73%	#12					

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Michigan	All Drugs	2,797	+5%	#40	28.6	#24	176	+13%	#34	13.7	#31	31	+7%	#26	3.1	#20	73%	76%	61%
	Fentanyl-involved	2,033	+16%	#40	20.3	#22	133	+28%	#25	10.0	#31	19	+6%	#25	2.0	#14			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Minnesota	All Drugs	1,187	+30%	#13	19.0	#39	155	+32%	#19	18.2	#20	48	+71%	#9	4.1	#11	60%	77%	79%
	Fentanyl-involved	717	+71%	#17	10.4	#30	120	+40%	#19	14.1	#20	38	+111%	#7	3.1	#7			

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40-X44 (unintentional), X60-X64 (suicide), X85 (homicide), and Y10-Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Mississippi	All Drugs	701	+43%	#2	21.1	#35	52	+58%	#9	10.3	#38	13					59%	83%	85%
	Fentanyl-involved	413	+86%	#13	11.5	#29	43	+95%	#8	7.8	#34	11							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Missouri	All Drugs	2,003	+8%	#38	32.1	#20	184	+17%	#29	21.2	#12	45	+67%	#10	5.0	#9	66%	79%	78%
	Fentanyl-involved	1,324	+17%	#39	21.1	#21	146	+34%	#22	15.3	#14	35	+169%	#2	3.1	#7			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Montana	All Drugs	179	+16%	#29	15.6	#46	12	+20%	#25								30%	0%	
	Fentanyl-involved	54	+260%	#1	3.2	#50													

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Nebraska	All Drugs	202	+4%	#41	11.3	#50	25	+14%	#31	9.7	#41						35%	76%	
	Fentanyl-involved	71	+18%	#38	3.8	#47	19												

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD–10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Nevada	All Drugs	922	+30%	#15	26.0	#28	111	+44%	#13	28.7	#2	29	+26%	#19	8.0	#2	39%	75%	72%
	Fentanyl-involved	358	+97%	#8	9.8	#33	83	+51%	#17	22.7	#2	21	+24%	#18	6.5	#2			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
New Hampshire	All Drugs	376	-10%	#50	30.3	#23	21	-32%	#46	13.5	#32						83%	71%	
	Fentanyl-involved	311	-10%	#50	25.4	#15	15	-48%	#43	11.8	#24								

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
New Mexico	All Drugs	881	+31%	#12	39.0	#12	81	+84%	#5	20.0	#15	31	+138%	#2	7.6	#4	49%	75%	74%
	Fentanyl-involved	432	+86%	#12	16.7	#27	61	+110%	#6	14.3	#19	23							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
New Jersey	All Drugs	2,856	-5%	#47	32.1	#20	155	-2%	#41	14.1	#30	34	+55%	#11	2.5	#26	81%	87%	74%
	Fentanyl-involved	2,310	-6%	#48	26.7	#13	135	-2%	#41	12.4	#23	25	+92%	#9					

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40-X44 (unintentional), X60-X64 (suicide), X85 (homicide), and Y10-Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . "Fentanyl Involvement" uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. "Fentanyl share of all drug deaths" is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
New York	All Drugs	5,165	+18%	#27	25.4	#29	311	+13%	#33	13.5	#32	47	+12%	#23	2.0	#27	76%	83%	81%
	Fentanyl-involved	3,946	+28%	#32	19.2	#26	259	+18%	#29	11.0	#27	38	+46%	#16	1.5	#18			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
North Carolina	All Drugs	3,438	+28%	#17	30.9	#22	264	+11%	#35	19.7	#16	44	+47%	#12	2.8	#25	76%	86%	84%
	Fentanyl-involved	2,607	+46%	#23	22.9	#19	226	+15%	#31	17.0	#8	37	+76%	#10	2.2	#12			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
North Dakota	All Drugs	113	+11%	#35	15.6	#46	25	+56%	#10	25.3	#4					42%	64%		
	Fentanyl-involved	48	+182%	#2	4.2	#45	16												

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Ohio	All Drugs	5,313	+10%	#36	47.2	#5	315	+3%	#38	23.3	#5	49	+2%	#30	3.8	#12	78%	84%	78%
	Fentanyl-involved	4,146	+13%	#42	37.7	#4	265	+11%	#32	19.1	#4	38	+23%	#19	3.0	#9			

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD–10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.






CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Oklahoma	All Drugs	814	+13%	#33	19.4	#37	56	+4%	#37	9.6	#42	17	-19%	#33	3.7	#13	27%	70%	76%
	Fentanyl-involved	220	+85%	#14	4.0	#46	39	+144%	#4	3.7	#40	13							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Oregon	All Drugs	967	+39%	#5	18.7	#40	103	+87%	#4	14.9	#29	21	+5%	#27	4.6	#10	39%	73%	86%
	Fentanyl-involved	377	+146%	#3	6.0	#39	75	+168%	#1	9.4	#32	18	+50%	#15					

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Pennsylvania	All Drugs	5,312	+9%	#37	42.4	#9	319	+18%	#28	18.2	#20	56	+40%	#14	3.3	#19	70%	79%	66%
	Fentanyl-involved	3,696	+15%	#41	29.9	#10	251	+32%	#23	13.6	#22	37	+68%	#13	2.1	#13			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Rhode Island	All Drugs	418	+27%	#18	38.2	#13	30	+67%	#7	16.7	#24						74%	80%	
	Fentanyl-involved	311	+31%	#30	28.3	#12	24	+50%	#18	15.3	#14								

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.






CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
South Carolina	All Drugs	1,881	+27%	#19	34.9	#17	146	+38%	#17	20.5	#13	33	+106%	#6	3.5	#15	70%	77%	79%
	Fentanyl-involved	1,308	+49%	#21	23.6	#17	113	+36%	#21	16.7	#12	26	+136%	#6					

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
South Dakota	All Drugs	78	-20%	#51	10.3	#51		-100%	#48								31%		
	Fentanyl-involved	24	-33%	#51	4.5	#44													

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Tennessee	All Drugs	3,421	+32%	#11	45.6	#6	237	+21%	#24	25.4	#3	57	+119%	#5	5.3	#8	71%	81%	84%
	Fentanyl-involved	2,424	+45%	#24	32.3	#8	193	+24%	#27	21.0	#3	48	+140%	#5	4.3	#6			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Texas	All Drugs	4,719	+30%	#14	14.1	#49	512	+63%	#8	10.2	#39	164	+125%	#4	2.9	#22	32%	64%	66%
	Fentanyl-involved	1,517	+113%	#7	3.6	#48	327	+146%	#3	5.7	#39	108	+200%	#1	1.7	#17			

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.




CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Utah	All Drugs	667	+15%	#31	20.5	#36	56	+40%	#15	8.9	#43	14	+27%	#18			26%	38%	
	Fentanyl-involved	172	+45%	#25	5.1	#42	21	+91%	#10										

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Vermont	All Drugs	216	+35%	#7	32.9	#19	10	+0%	#39								79%	0%	
	Fentanyl-involved	170	+47%	#22	24.3	#16													

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Virginia	All Drugs	1,708	-8%	#49	26.6	#27	148	-6%	#44	16.8	#23	29	+4%	#28	3.1	#20	75%	88%	86%
	Fentanyl-involved	1,274	-5%	#47	20.2	#23	130	+2%	#37	14.4	#18	25	+14%	#21	2.5	#11			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Washington	All Drugs	1,946	+28%	#16	22.0	#32	200	+23%	#22	18.8	#18	62	+3%	#29	6.6	#5	45%	79%	79%
	Fentanyl-involved	872	+73%	#16	8.9	#36	158	+36%	#20	14.0	#21	49	+11%	#22	4.9	#5			

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.



CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
West Virginia	All Drugs	1,369	+23%	#24	81.4	#1	75	+108%	#2	21.8	#9	13					80%	83%	77%
	Fentanyl-involved	1,096	+38%	#27	65.1	#1	62	+107%	#7	18.5	#5	10							

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Wisconsin	All Drugs	1,606	+13%	#32	27.7	#26	103	+7%	#36	12.9	#34	22	-4%	#31	3.5	#15	73%	79%	82%
	Fentanyl-involved	1,176	+31%	#31	20.0	#24	81	+7%	#34	11.0	#27	18	+6%	#24	3.0	#9			

CDC Provisional Data 12 months ending June 2021		All Ages					15-24 years					10-19 years					Fentanyl Share of All Drug Deaths		
		Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	Deaths	Growth	Rank	2020 Rate	Rank	All Ages	15-24	10-19
United States	All Drugs	97,305	+18%		28.3		7,541	+26%		16.7		1,776	+39%		3.9		64%	78%	77%
	Fentanyl-involved	62,210	+31%		17.8		5,890	+37%		12.7		1,362	+64%		2.8				
Wyoming	All Drugs	110	+25%	#20	17.4	#43	10										28%	0%	
	Fentanyl-involved	31	+19%	#37	4.8	#43													

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Provisional Multiple Cause of Death on CDC WONDER Online Database, released 2021. Data are from the final Multiple Cause of Death Files, 2018-2020, and from provisional data for years 2020-2021, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> on Jan 29, 2022 12:42:16 PM. Data is reported, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause-of-death codes from the Tenth Revision of ICD (ICD-10): X40–X44 (unintentional), X60–X64 (suicide), X85 (homicide), and Y10–Y14 (undetermined). Drug overdose deaths involving selected drug categories are identified by specific multiple cause-of-death codes. . “Fentanyl Involvement” uses T40.4: synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol. “Fentanyl share of all drug deaths” is (MCD T40.4/Drug overdose deaths). Multiple drugs may be involved in one drug death. State rankings are manually calculated and based on states where data exist. Rates are per 100k, age adjusted where possible for All Ages, and from 2020.

